



| 製品番号 | 静電容量 μF (*) | 寸 法 | | | | 形状 記号 |
|--------------|------------------|---------|---------|---------|---------------------------------|----------------|
| | | L | W | H | L ₁ , L ₂ | |
| ECWU 2102V16 | 0.001 (102) | 4.8±0.2 | 3.3±0.3 | 1.4±0.2 | 0.35±0.2 | E ₁ |
| " 2122V16 | 0.0012 (122) | " | " | " | " | " |
| " 2152V16 | 0.0015 (152) | " | " | " | " | " |
| " 2182V16 | 0.0018 (182) | " | " | " | " | " |
| " 2222V16 | 0.0022 (222) | " | " | " | " | " |
| " 2272V16 | 0.0027 (272) | " | " | " | " | " |
| " 2332V16 | 0.0033 (332) | " | " | " | " | " |
| " 2392V16 | 0.0039 (392) | " | " | " | " | " |
| " 2472V16 | 0.0047 (472) | " | " | " | " | " |
| " 2562V16 | 0.0056 (562) | " | " | " | " | " |
| " 2682V16 | 0.0068 (682) | " | " | " | " | " |
| " 2822V16 | 0.0082 (822) | " | " | " | " | " |
| " 2103V16 | 0.01 (103) | " | " | " | " | " |
| " 2123V16 | 0.012 (123) | " | " | " | " | " |
| " 2153V16 | 0.015 (153) | " | " | " | " | " |
| " 2183V16 | 0.018 (183) | " | " | 2.0±0.2 | " | E ₂ |
| " 2223V16 | 0.022 (223) | " | " | " | " | " |
| " 2273V16 | 0.027 (273) | " | " | 2.4±0.2 | " | E ₃ |
| " 2333V16 | 0.033 (333) | " | " | 2.8±0.2 | " | E ₃ |
| " 2393V16 | 0.039 (393) | 6.0±0.2 | 4.1±0.3 | 2.0±0.2 | " | D ₂ |
| " 2473V16 | 0.047 (473) | " | " | 2.4±0.2 | " | D ₃ |
| " 2563V16 | 0.056 (563) | " | " | 2.8±0.2 | " | D ₄ |
| " 2683V16 | 0.068 (683) | " | " | 3.2±0.2 | " | D ₅ |
| " 2823V16 | 0.082 (823) | " | 5.0±0.4 | 3.2±0.3 | " | B |
| " 2104V16 | 0.1 (104) | " | " | 3.8±0.3 | " | " |
| " 2124V16 | 0.12 (124) | " | " | 4.5±0.3 | " | " |




品番呼称方法

ECWU 2102V16 (DC250V0.001μF, ±5%)

- 自動装着用テーピング
(φ330mmリール, 12mmテーピング)
- 静電容量許容差 (±5%)
- 静電容量 (*) 参照
- 定格電圧 (2: DC250V)

| 改 正 履 歴 表 | | | |
|-----------|--------------|---|-----|
| 符号 | 年 月 日 | 改 正 内 容 | 制定者 |
| △1 | 2004. 10. 1 | 社名変更 | 小川 |
| △2 | 2005. 4. 1 | 社名変更 | 長岡 |
| △3 | 2006. 4. 1 | 社名変更 | 長岡 |
| △4 | 2008. 4. 1 | 社名変更 | 長岡 |
| △5 | 2012. 4. 1 | 社名変更 | 久米 |
| △6 | 2013. 4. 1 | 社名変更 | 福光 |
| △7 | 2015. 4. 1 | 社名変更 | 福光 |
| 仕 様 | | | |
| 使用条件 | カテゴリ 温度範囲 | - 5 5℃～+ 8 5℃ (壁面における自己温度上昇を含む) | |
| 構造一般 | 外 装 | _____ | |
| | 素子構造 | 積 層 構 造 | |
| 電 気 的 性 能 | 静電容量 | 左 表 参 照 | |
| | 定格電圧 | DC250V (2) | |
| | 静電容量許容差 | ± 5 % (J) | |
| | 耐 電 圧 | DC400V for 60s | |
| | 誘電正接 | 1. 0 %以下, at 1 kHz, 20℃ | |
| 能 | 絶縁抵抗 | 3, 000MΩ以上 at 20℃ - DC100V for 60s - | |
| | 仕様書番号 | T1005CJJ | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

テープピング寸法




| 形状記号 | A ₀ | B ₀ | T (テープ厚み) | T ₂ | K |
|-----------------------------------|----------------|----------------|-----------|----------------|---------|
| E ₁ | 3.8±0.1 | 5.1±0.1 | 0.30±0.05 | 2.0±0.2 | 1.9±0.1 |
| E ₂ | " | " | " | 2.6±0.2 | 2.5±0.1 |
| E _{3..} , E ₃ | " | " | " | 3.4±0.2 | 3.3±0.1 |
| D ₂ | 4.6±0.1 | 6.3±0.1 | " | 2.7±0.2 | 2.6±0.1 |
| D ₃ , D ₄ | " | " | " | 3.5±0.2 | 3.4±0.1 |
| D ₅ | " | " | " | 4.6±0.2 | 4.5±0.1 |
| B | 5.5±0.1 | " | " | 5.1±0.2 | 5.0±0.1 |

| 呼 称 | 記号 | 寸 法 | |
|---------------|-----------------|---|---|
| | | E ₁ , E ₂ , E _{3..} , E ₃ | D ₂ , D ₃ , D ₄ , D ₅ , B |
| テープ幅 | W | 12.0 ±0.3 | 12.0 ±0.3 |
| 送り穴位置 | F | 5.5 ±0.05 | 5.5 ±0.05 |
| " | E | 1.75±0.1 | 1.75±0.1 |
| くぼみ角穴ピッチ | P ₁ | 8.0 ±0.1 | 8.0 ±0.1 |
| 送り穴位置 (テープ方向) | P ₂ | 2.0 ±0.05 | 2.0 ±0.05 |
| 送り穴ピッチ | P ₀ | 4.0 ±0.1 | 4.0 ±0.1 |
| 送り穴径 | φD ₀ | 1.5 ^{+0.1} ₀ | 1.5 ^{+0.1} ₀ |
| 底穴 | φD ₁ | 1.5 ^{+0.2} ₀ | - |

包装数量


| 形 状 記 号 | 数量 (個/リール) |
|--|------------|
| E ₁ , E ₂ , D ₂ | 3,000 |
| E _{3..} , E ₃ , D ₃ , D ₄ , D ₅ | 2,000 |
| B | 1,500 |

リール寸法



| 記号 | 寸 法 |
|----------------|-----------|
| A | 330.0±2.0 |
| C | 13.0±0.2 |
| D | 21.0±0.8 |
| E | 2.0±0.5 |
| N | 80.0±1.0 |
| W ₁ | 13.4±1.0 |
| W ₂ | 17.4±1.0 |

リール部及び空部



参 考

| | |
|----------|--------------|
| 品 名 | チップ積層コンデンサ |
| | ECWU (C) |
| 製品 品番 | ECWU2***V16 |
| 図 番 | 1001CJ (2/2) |